

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L16</u>	L8 and emulator	0	<u>L16</u>
<u>L15</u>	L8 same emulator	0	<u>L15</u>
<u>L14</u>	console same server same emulator	4	<u>L14</u>
<u>L13</u>	console same server same network interface same emulator	0	<u>L13</u>
<u>L12</u>	L11 and protocol	9	<u>L12</u>
<u>L11</u>	L8 and network interface	15	<u>L11</u>
<u>L10</u>	L9 and l8	11	<u>L10</u>
<u>L9</u>	709/2\$\$ccls.	16352	<u>L9</u>
<u>L8</u>	(console with transactions) same server	33	<u>L8</u>

DB=PGPB; PLUR=YES; OP=ADJ

<u>L7</u>	(console with transactions) same server same interface same network	4	<u>L7</u>
-----------	---	---	-----------

DB=USPT; PLUR=YES; OP=ADJ

<u>L6</u>	(console with transactions) same server same interface same network	6	<u>L6</u>
-----------	---	---	-----------

DB=PGPB; PLUR=YES; OP=ADJ

<u>L5</u>	console transactions	4	<u>L5</u>
-----------	----------------------	---	-----------

DB=USPT; PLUR=YES; OP=ADJ

<u>L4</u>	console transactions	5	<u>L4</u>
<u>L3</u>	console transactions same server	0	<u>L3</u>
<u>L2</u>	console transactions same server same network interface	0	<u>L2</u>
<u>L1</u>	console transactions same server same network interface same serial port	0	<u>L1</u>

END OF SEARCH HISTORY